



SAFETY DATA SHEET

CFT Carpet and Upholstery HD Traffic

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CFT Carpet and Upholstery HD Traffic
UFI	UFI: 8WE0-A0GT-G00P-72YS
Superconcentrated Detergent	Removal of Heavily Ingrained Soiling in High Traffic Areas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent.
-----------------	------------

1.3. Details of the supplier of the safety data sheet

Supplier	Rozone Queen Street Darlaston Wednesbury West Midlands UK WS10 8JF Tel: +44 (0)121 526 8181 Fax: +44 (0)121 526 8182 info@rozone.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	Rozone: 0121 526 8181 (Mon - Fri, 09:00-17:00)
---------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H318 Causes serious eye damage.

CFT Carpet and Upholstery HD Traffic

Precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.
UFI	UFI: 8WE0-A0GT-G00P-72YS
Contains	C9-11 Alcohol Ethoxylate
Detergent labelling	< 5% amphoteric surfactants, < 5% non-ionic surfactants, < 5% perfumes, < 5% phosphates

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C9-11 Alcohol Ethoxylate	1-5%
CAS number: 68439-46-3	EC number: 614-482-0
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
1-METHOXY-2-PROPANOL	1-5%
CAS number: 107-98-2	EC number: 203-539-1
Classification	
Flam. Liq. 3 - H226	
STOT SE 3 - H336	
BETA-ALANINE, N-(2-CARBOXYETHYL)-N-DODECYL	1-5%
CAS number: 3655-00-3	
Classification	
Eye Irrit. 2 - H319	
SODIUM CARBONATE	1-5%
CAS number: 497-19-8	EC number: 207-838-8
Classification	
Eye Irrit. 2 - H319	
DIETHYL PHTHALATE	<1%
CAS number: 84-66-2	
Classification	
Not Classified	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

CFT Carpet and Upholstery HD Traffic

4.1. Description of first aid measures

Inhalation	No specific recommendations.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Wash skin thoroughly with soap and water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not known. N/A
Hazardous combustion products	None at ambient temperatures. When heated, vapours/gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For waste disposal, see section 13. See Section 11 for additional information on health hazards.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

CFT Carpet and Upholstery HD Traffic

Usage precautions Avoid spilling. Avoid contact with skin, eyes and clothing. Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing and direct sunlight.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description

1. Dilute the CFT Carpet & Upholstery HD Traffic in a pressure sprayer.
2. Prepare the area for wet cleaning.
3. Spray product evenly across the surface.
4. Agitate the area.
5. Allow up to five minutes dwell time.
6. Extract and rinse using CFT Fibre and Fabric Rinse.

Dilution

Normal Soiling: 2% (20 ml made up to 1litre)

Heavy Soiling: 20%(200 ml made up to 1litre)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 375 mg/m³(Sk)

Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 560 mg/m³(Sk)

DIETHYL PHTHALATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

Short-term exposure limit (15-minute): WEL 10 mg/m³

WEL = Workplace Exposure Limit.

1-METHOXY-2-PROPANOL (CAS: 107-98-2)

DNEL

- Industry - Inhalation; : 553.5 mg/m³
- Industry - Inhalation; Long term : 369 mg/m³
- Industry - Dermal; Long term : 50.6 mg/kg/day
- Consumer - Dermal; Long term : 18.1 mg/kg/day
- Consumer - Inhalation; Long term : 43.9 mg/m³
- Consumer - Oral; Long term : 3.3 mg/kg/day

PNEC

- Fresh water; 10 mg/l
- STP; 100 mg/l
- Sediment (Freshwater); 41.6 mg/kg
- Sediment (Marinewater); 4.17 mg/kg
- Soil; 2.47 mg/kg
- marine water; 1 mg/l

8.2. Exposure controls

CFT Carpet and Upholstery HD Traffic

Protective equipment



Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Hygiene measures	Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented.
Respiratory protection	No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Amber.
Odour	Lemon.
pH	pH (concentrated solution): 10.6
Relative density	1.030 @ °C

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable. Not relevant.
---	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂).
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CFT Carpet and Upholstery HD Traffic

Acute toxicity - oral

ATE oral (mg/kg) 36,082.47

Ingestion May cause discomfort.

Skin contact May be slightly irritating to skin.

Eye contact Causes serious eye damage.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information required.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

CFT Carpet and Upholstery HD Traffic

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 as amended.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 as amended
Control of Substances Hazardous to Health Regulations 2002 (as amended).
EH40/2005 Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	27/09/2023
Revision	7
Supersedes date	21/06/2022
SDS number	22234
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.