



SAFETY DATA SHEET

Maintenance Spray

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Maintenance Spray
UFI UFI: TK80-X0Q6-G00Y-6CDM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Maintenance Spray

1.3. Details of the supplier of the safety data sheet

Supplier Rozone
Queen Street
Darlaston
Wednesbury
West Midlands
UK
WS10 8JF
Tel: +44 (0)121 526 8181
Fax: +44 (0)121 526 8182
info@rozone.co.uk

1.4. Emergency telephone number

Emergency telephone Rozone: 0121 526 8181 (Mon - Fri, 09:00-17:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Asp. Tox. 1 - H304
Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements EUH208 Contains Benzene, mono-C10-13-alkyl derivs., distn.residues sulfonated, barium salts. May produce an allergic reaction.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Maintenance Spray

Precautionary statements	<p>P261 Avoid breathing vapour/ spray.</p> <p>P273 Avoid release to the environment.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P331 Do NOT induce vomiting.</p>
UFI	UFI: TK80-X0Q6-G00Y-6CDM
Contains	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Supplementary precautionary statements	<p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics CAS number: —	60-100%
Classification Asp. Tox. 1 - H304	
DIPROPYLENE GLYCOL METHYL ETHER CAS number: 34590-94-8 EC number: 252-104-2	1-5%
Classification Not Classified	
Benzene, mono-C10-13-alkyl derivs., distn.residues sulfonated, barium salts CAS number: — EC number: 947-582-0	<1%
Classification Skin Sens. 1 - H317	
2-BUTOXYETHANOL CAS number: 111-76-2 EC number: 203-905-0	<1%
Classification Acute Tox. 4 - H302 Acute Tox. 3 - H331 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	

Maintenance Spray

Benzene mono C10-13-alkyl derivative, distillation residues, sulfonated, sodium salts	<1%
CAS number: 2156592-65-1 EC number: 944-207-2	
Classification Skin Irrit. 2 - H315 Skin Sens. 1B - H317	
D-LIMONENE	<1%
CAS number: 5989-27-5 EC number: 227-813-5 M factor (Acute) = 1 M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
A-CEDRENE	<1%
CAS number: 469-61-4 EC number: 207-418-4 M factor (Chronic) = 10	
Classification Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410	
DIPHENYL ETHER	<1%
CAS number: 101-84-8 EC number: 202-981-2	
Classification Aquatic Chronic 2 - H411	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.

Maintenance Spray

Eye contact Remove affected person from source of contamination. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Irritation of nose, throat and airway.

Ingestion May be fatal if swallowed and enters airways.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not known.

Hazardous combustion products None at ambient temperatures. When heated, vapours/gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary and unprotected personnel away from the spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep locked up and out of the reach of children.

Storage class Chemical storage.

Maintenance Spray

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

DIPROPYLENE GLYCOL METHYL ETHER

Long-term exposure limit (8-hour TWA): 50 ppm

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

D-LIMONENE

Long-term exposure limit (8-hour TWA): OEL 30 ppm

Short-term exposure limit (15-minute): OEL 150 ppm

DIPHENYL ETHER

Long-term exposure limit (8-hour TWA): WEL 1 ppm 7.1 mg/m³ vapour

WEL = Workplace Exposure Limit.

OEL = Occupational Exposure Limit.

Sk = Can be absorbed through the skin.

DIPROPYLENE GLYCOL METHYL ETHER (CAS: 34590-94-8)

DNEL	Industry - Dermal; Long term : 65 mg/kg/day
	Industry - Inhalation; Long term : 310 mg/m ³
	Consumer - Dermal; Long term : 15 mg/kg/day
	Consumer - Inhalation; Long term : 37.2 mg/m ³
	Consumer - Oral; Long term : 1.67 mg/kg/day

PNEC	- Fresh water; 19 mg/l
	- marine water; 1.9 mg/l
	- STP; 4168 mg/l
	- Sediment (Freshwater); 70.2 mg/kg
	- Sediment (Marinewater); 70.2 mg/kg
	- Soil; 2.74 mg/kg
	- Intermittent release; 19 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Wear protective gloves.

Hygiene measures

When using do not eat, drink or smoke.

Maintenance Spray

Respiratory protection No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Mobile liquid.
Colour Amber.
Odour Solvent.
Partition coefficient Not available.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 1,000.0

Inhalation May cause drowsiness or dizziness.

Ingestion May be fatal if swallowed and enters airways.

Skin contact May cause sensitisation by skin contact.

Eye contact Prolonged contact may cause redness and/or tearing.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Maintenance Spray

Toxicity Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility Mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information required.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maintenance Spray

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 as amended.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 as amended
Control of Substances Hazardous to Health Regulations 2002 (as amended).
EH40/2005 Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	23/08/2023
Revision	9
Supersedes date	02/06/2023
SDS number	21943
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Benzene, mono-C10-13-alkyl derivs., distn.residues sulfonated, barium salts. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.