



SAFETY DATA SHEET

CFT Carpet & Upholstery Multi-Purpose

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CFT Carpet & Upholstery Multi-Purpose
UFI UFI: 4CD0-702N-Y00R-A1HH
Superconcentrated Detergent Low pH - High Performance Versatile Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Rozone
Queen Street
Darlaston
Wednesbury
West Midlands
UK
WS10 8JF
Tel: +44 (0)121 526 8181
Fax: +44 (0)121 526 8182
info@rozone.co.uk

1.4. Emergency telephone number

Emergency telephone Rozone: 0121 526 8181 (Mon - Fri, 09:00-17:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Eye Dam. 1 - H318
Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger
Hazard statements H318 Causes serious eye damage.

CFT Carpet & Upholstery Multi-Purpose

DIPROPYLENE GLYCOL METHYL ETHER	1-5%
CAS number: 34590-94-8	EC number: 252-104-2
Classification Not Classified	
DIETHYL PHTHALATE	<1%
CAS number: 84-66-2	
Classification Not Classified	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No specific recommendations.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Wash skin thoroughly with soap and water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not known. N/A
Hazardous combustion products	None at ambient temperatures. When heated, vapours/gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

CFT Carpet & Upholstery Multi-Purpose

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Non-hazardous substance. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13. See Section 11 for additional information on health hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing and direct sunlight.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description

1. Prepare carpet or upholstery for wet cleaning.
2. Dilute product Carpet & Upholstery MP in a pressure sprayer – set pressure to approximately 2 bar.
3. Apply product evenly across area. Spray approximately 5 to 10sqm at a time.
4. Agitate the surface with either brush or rotary and allow up to five minutes dwell time.
5. Extract & rinse using CFT Fibre and Fabric Rinse.

Normal Soiling: 5% (50ml made up to 1litre)

Heavy Soiling: 20%(200 ml made up to 1litre)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 375 mg/m³(Sk)

Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 560 mg/m³(Sk)

DIPROPYLENE GLYCOL METHYL ETHER

Long-term exposure limit (8-hour TWA): 50 ppm

DIETHYL PHTHALATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

Short-term exposure limit (15-minute): WEL 10 mg/m³

WEL = Workplace Exposure Limit.

A MIXTURE OF: 2-ETHYLHEXYL MONO-D-GLUCOPYRANOSIDE 2-ETHYLHEXYL DI-D-GLUCOPYRANOSIDE (CAS:)

CFT Carpet & Upholstery Multi-Purpose

DNEL Workers - Dermal; Long term systemic effects: 1.5 mg/kg
 Workers - Inhalation; Long term systemic effects: 10.6 mg/m³
 Consumer - Inhalation; Long term systemic effects: 2.6 mg/m³
 Consumer - Dermal; Long term systemic effects: 0.75 mg/kg
 Consumer - Oral; Long term systemic effects: 0.75 mg/kg/day

PNEC - Fresh water; 0.098 mg/l
 - marine water; 0.0098 mg/l
 - Sediment (Freshwater); 980 mg/kg
 - Sediment (Marinewater); 98 mg/kg

1 PROPOXY-2-PROPANOL (CAS: 1569-01-3)

DNEL Workers - Dermal; Long term systemic effects: 82.5 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 263 mg/m³
 Consumer - Dermal; Long term systemic effects: 36 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 38 mg/m³
 Consumer - Oral; Long term systemic effects: 11 mg/kg/day

PNEC - marine water; 0.01 mg/l
 - Intermittent release; 1 mg/l
 - STP; 4 mg/l
 - Sediment (Freshwater); 0.386 mg/kg/day
 - Sediment (Marinewater); 0.0386 mg/kg/day
 - Soil; 0.0185 mg/kg/day

1-METHOXY-2-PROPANOL (CAS: 107-98-2)

DNEL Industry - Inhalation; : 553.5 mg/m³
 Industry - Inhalation; Long term : 369 mg/m³
 Industry - Dermal; Long term : 50.6 mg/kg/day
 Consumer - Dermal; Long term : 18.1 mg/kg/day
 Consumer - Inhalation; Long term : 43.9 mg/m³
 Consumer - Oral; Long term : 3.3 mg/kg/day

PNEC - Fresh water; 10 mg/l
 - STP; 100 mg/l
 - Sediment (Freshwater); 41.6 mg/kg
 - Sediment (Marinewater); 4.17 mg/kg
 - Soil; 2.47 mg/kg
 - marine water; 1 mg/l

DIPROPYLENE GLYCOL METHYL ETHER (CAS: 34590-94-8)

DNEL Industry - Dermal; Long term : 65 mg/kg/day
 Industry - Inhalation; Long term : 310 mg/m³
 Consumer - Dermal; Long term : 15 mg/kg/day
 Consumer - Inhalation; Long term : 37.2 mg/m³
 Consumer - Oral; Long term : 1.67 mg/kg/day

CFT Carpet & Upholstery Multi-Purpose

PNEC

- Fresh water; 19 mg/l
- marine water; 1.9 mg/l
- STP; 4168 mg/l
- Sediment (Freshwater); 70.2 mg/kg
- Sediment (Marinewater); 70.2 mg/kg
- Soil; 2.74 mg/kg
- Intermittent release; 19 mg/l

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Hygiene measures

Do not eat, drink or smoke when using this product.

Respiratory protection

No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Brown.
Odour	Lemon.
pH	pH (concentrated solution): 7.00
Relative density	1.020 @ °C

9.2. Other information

Other information	None.
-------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable. Not relevant.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

10.5. Incompatible materials

CFT Carpet & Upholstery Multi-Purpose

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion May cause discomfort if swallowed.

Skin contact May be slightly irritating to skin.

Eye contact Causes serious eye damage.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information required.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

CFT Carpet & Upholstery Multi-Purpose

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 as amended. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 as amended Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
-----------------------------	---

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	Rewrite of safety data sheet
Revision date	26/07/2023
Revision	2
Supersedes date	02/02/2016
SDS number	22396
Hazard statements in full	H226 Flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.